



SAFETY DATA SHEET

Date of Issue: 04/21/2016
Rev No/Date: 01 10/06/2020

SECTION 1: IDENTIFICATION

Product Name: CONLEY WELD PART A

Relevant identified uses of the substance

Product Use: Epoxy mixture adhesive component.

Supplier: Conley Composites
4544 Broadmoor Ave. SE
Kentwood, MI 49512 USA
Tel: 1+616-512-8000
Fax: 1+616-512-8001

Emergency Telephone Number: PERS
1-800-633-8253

SECTION 2: HAZARDS IDENTIFICATION

Hazardous Classification	Skin Sens. 1	May cause an allergic skin reaction
	Eye Dam:	Causes eye irritation
Signal Words	Warning	



Pictogram(s)

Hazard Statement(s)	May cause an allergic skin reaction Toxic to aquatic life with long lasting effects Causes eye irritation
Precautionary Statement(s)	Wear protective gloves/eye protection Remove contact lenses, Rinse cautiously with water for several minutes. If skin irritation or rash occurs: Get medical advice/attention

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance(s): Mixture

Product Name: CONLEY WELD PART A

Ingredient Name	%	CAS Number
Bisphenol A epoxy resin	65-85%	25068-38-6
Titanium Dioxide	5-10%	13463-67-7
Carbon Black	< 5%	1333-86-4
Cab-O-Sil TS-720	5-10%	67762-90-7

Any concentration shown as a range is to protect confidentially and or due to batch variation

SECTION 4: FIRST-AID MEASURES

Cured thermoset resin products do not pose any significant health hazards related to inhalation, skin contact, eye contact or ingestion unless the article is disturbed via abrading or cutting the product.

Description of necessary first aid measures:

Eye Contact	Remove contact lenses, irrigate copiously with clean, fresh water for at least 20 minutes. If irritation develops or persists, seek medical attention.
Inhalation	Move to fresh air. If difficulty in breathing or respiratory irritation; seek medical attention. If breathing has stopped; seek immediate medical attention, provide artificial respiration or oxygen by trained personnel.
Skin Contact	Wash affected area thoroughly with soap and water for at least 20 minutes. If irritation develops or persists; seek medical attention.

Ingestion Do not induce vomiting unless directed by medical personnel. If symptoms persist; seek medical attention. Rinse mouth and then drink plenty of water

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media Use an extinguishing agent suitable for the surrounding fire.

Specific Hazards Arising From the Chemical In a fire or if heated, a pressure increase will occur and the container may burst.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain

Special Protective Actions For Fire-Fighters Fire-Fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) and turnout gear

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment & Emergency Procedures Wear appropriate personal protective equipment (PPE) and clothing to reduce or eliminate contact.

Environmental Precautions Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.

Methods & Materials for Containment & Clean Up Clean the affected area carefully: suitable cleaner is denatured alcohol. Ensure adequate ventilation. Dispose contaminated materials as waste according to item 13

SECTION 7: HANDLING & STORAGE

Precautions for Safe Handling Use in well ventilated area. Do not smoke

Conditions for Safe Storage Store away from foodstuffs. Protect from heat and direct sunlight

Keep away from oxidizers, acids and bases

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Appropriate Engineering Controls Provide adequate general ventilation to control airborne concentrations to below occupational exposure limit values.

Personal Protective Equipment

Eye protection with side shields (e.g., ANSI Z87, EN166)

Skin protection such as gloves or clothing to minimize or eliminate skin contact.

General protective and hygienic measures for handling chemicals should be followed. Do not eat, drink, smoke or sniff while working. Do not inhale gases/fumes. Avoid contact with the eyes and skin. Clean skin thoroughly immediately after handling the product. Ensure that washing facilities are available at the work place. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Breathing equipment is not necessary if room is well-ventilated.

Avoid direct contact with the chemical. Recommended material of gloves: Nitrile Rubber, Recommended thickness of the material: ≥ 0.4 mm, the exact breakthrough time of the glove material shall be found out by the manufacturer and must be observed.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid
Upper/Lower Flammability or Explosive Limits	No Data
Odor	Slight
Vapor Pressure	< 0.0001 hPa (77 F/25C)
Odor Threshold	No data
Vapor Density (air = 1)	No data
pH	Ca. 7 (68F / 20C)
Relative Density	1.17 – 1.2 (77 F/25C)
Melting Point/Freezing Point	No Data
Solubility	Insoluble
Initial Boiling Point and Boiling Range	> 392 F / > 200 C
Flash Point	> 392 F / > 200 C
Evaporation Rate	No Data
Flammability (solid, gas)	No Data
Partition Coefficient: n-otanol/water	No Data
Auto-Ignition Temperature	No Data
Viscosity	No Data
Oxidizing	No Data

10. STABILITY AND REACTIVITY

Reactivity No data available
Chemical Stability The product is stable

Possible Hazardous Reactions	Hazardous reactions will not occur
Conditions to Avoid	Excessive heat
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Products	Carbon oxides, Halogenated compounds

11. TOXICOLOGICAL EFFECTS

Acute Toxicity	No data on the product itself
Skin Corrosion/Irritation	No data on the product itself
Serious Eye Damage/Irritation	No data on the product itself
Respiratory or Skin Sensitization	No data on the product itself
Germ Cell Mutagenicity	No data on the product itself
Carcinogenicity	No data on the product itself
Reproductive Toxicity	No data on the product itself
STOT-Single Exposure	No data on the product itself
STOT-Repeated Exposures	No data on the product itself
Aspiration Hazards	No data on the product itself

12. ECOLOGICAL INFORMATION

Environmental effects:	Toxic to aquatic organisms, may cause long-term effects in the aquatic environment. Not readily biodegradable. This product shows a low bioaccumulation potential. Water polluting material. May be harmful to the environment if released in large quantities.
------------------------	---

13. DISPOSAL CONSIDERATIONS

Waste Disposal	The generation of waste should be avoided or minimized wherever possible. Waste product residues should not be disposed of via the foul sewer. Disposal of this product should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. This material and its container must be disposed of in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
----------------	---

14. TRANSPORT INFORMATION

Transportation Emergency Number: 1-800-633-8253 (PERS).

DOT

UN/ID no. : UN3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s
(Bisphenol A epoxy resin)
Class or Division : 9
Packing Group : III
Label(s) : Class 9 – Miscellaneous dangerous substances
ERG Code : 171
Marine Pollutant : Yes

IATA

UN/ID no. : UN3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s
(Bisphenol A epoxy resin)
Class or Division : 9
Packing Group : III
Label(s) : Class 9 – Miscellaneous dangerous substances
Packing instruction (cargo aircraft): 964
Packing instruction (passenger aircraft): 964

IMDG

UN/ID no. : UN3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s
(Bisphenol A epoxy resin)
Class or Division : 9
Packing Group : III
Label(s) : 9
EmS Code : F-A, S-F
Marine Pollutant : Yes

15. REGULATORY INFORMATION

United States

HCS Classification	:	Irritating material
	:	Sensitizing material
U.S.Federal Regulations:		TSCA 8(a) IUR: partial exemption United States inventory (TSCA 8b): This material is listed or exempted.
SARA 313	:	This Material does not contain any chemical components with know CAS numbers that exceed the threshold (DeMinimis) reporting levels established by SARA Title III, section 313
California PROP 65	:	WARNING: This product can expose you to chemicals including 4,4'-isopropylidenediphenol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .

16. OTHER INFORMATION

Date of issue : 04/21/2016
Rev No/Date : 01 10/06/2020

Legend to abbreviation and acronyms used

ANSI- American Nation Standards Institute
NIOSH- National Institute for Occupational Safety and Health
vPvB- very Persistent and very Bio accumulative
PBT- Persistent Bio accumulative and Toxic

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.